

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Aceraceae	<i>Acer</i>	<i>rubrum</i>	red maple
Aceraceae	<i>Acer</i>	<i>saccharum</i>	sugar maple
Adoxaceae	<i>Sambucus</i>	<i>nigra</i>	common elderberry
Adoxaceae	<i>Viburnum</i>	<i>dentatum</i>	northern arrowwood
Adoxaceae	<i>Viburnum</i>	<i>nudum</i>	wild raisin
Adoxaceae	<i>Viburnum</i>	<i>lantanoides</i>	hobblebush
Adoxaceae	<i>Viburnum</i>	<i>opulus</i>	highbush cranberry
Alliaceae	<i>Allium</i>	<i>tricoccum</i>	small white leek
Anacardiaceae	<i>Rhus</i>	<i>typhina</i>	staghorn sumac
Anacardiaceae	<i>Toxicodendron</i>	<i>radicans</i>	poison ivy
Apiaceae	<i>Conium</i>	<i>maculatum</i>	poison-hemlock
Apiaceae	<i>Daucus</i>	<i>carota</i>	Queen Anne's lace
Apocynaceae	<i>Apocynum</i>	<i>cannabinum</i>	Indian hemp
Apocynaceae	<i>Asclepias</i>	<i>incarnata</i>	swamp milkweed
Apocynaceae	<i>Asclepias</i>	<i>syriaca</i>	common milkweed
Apocynaceae	<i>Vinca</i>	<i>minor</i>	periwinkle
Aquifoliaceae	<i>Ilex</i>	<i>verticillata</i>	common winterberry
Araceae	<i>Arisaema</i>	<i>triphyllum</i>	jack-in-the-pulpit
Asteraceae	<i>Achillea</i>	<i>millefolium</i>	common yarrow
Asteraceae	<i>Ambrosia</i>	<i>artemesiifolia</i>	ragweed
Asteraceae	<i>Arctium</i>	<i>minus</i>	common burdock
Asteraceae	<i>Centaurea</i>	<i>jacea</i>	brown knapweed
Asteraceae	<i>Cichorium</i>	<i>intybus</i>	chicory
Asteraceae	<i>Cirsium</i>	<i>arvense</i>	Canada thistle
Asteraceae	<i>Cirsium</i>	<i>vulgare</i>	bull thistle
Asteraceae	<i>Conyza</i>	<i>canadensis</i>	horseweed
Asteraceae	<i>Erigeron</i>	<i>philadelphicus</i>	Philadelphia fleabane
Asteraceae	<i>Erigeron</i>	<i>strigosus</i>	prairie fleabane
Asteraceae	<i>Eupatorium</i>	<i>perfoliatum</i>	common boneset
Asteraceae	<i>Eurybia</i>	<i>divaricata</i>	white wood-aster
Asteraceae	<i>Euthamia</i>	<i>graminifolia</i>	flat-topped goldenrod
Asteraceae	<i>Eutrochium</i>	<i>maculatum</i>	joe-pye weed
Asteraceae	<i>Gnaphalium</i>	<i>uliginosum</i>	low cudweed
Asteraceae	<i>Krigia</i>	<i>virginica</i>	Virginia dwarf-dandelion
Asteraceae	<i>Leucanthemum</i>	<i>vulgare</i>	ox-eye daisy
Asteraceae	<i>Matricaria</i>	<i>chamomilla</i>	wild chamomile
Asteraceae	<i>Matricaria</i>	<i>discoidea</i>	pineapple-weed
Asteraceae	<i>Oclemena</i>	<i>acuminata</i>	whorled aster
Asteraceae	<i>Packera</i>	<i>aurea</i>	golden ragwort
Asteraceae	<i>Prenanthes</i>	<i>trifoliolata</i>	three-leaved rattlesnake-root

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Asteraceae	<i>Rudbeckia</i>	<i>hirta</i>	black-eyed Susan
Asteraceae	<i>Solidago</i>	<i>canadensis</i>	Canada goldenrod
Asteraceae	<i>Solidago</i>	<i>rugosa</i>	wrinkle-leaved goldenrod
Asteraceae	<i>Sonchus</i>	<i>asper</i>	spiny-leaved sowthistle
Asteraceae	<i>Symphyotrichum</i>	<i>pilosum</i>	hairy white old-field aster
Asteraceae	<i>Symphyotrichum</i>	<i>preanthoides</i>	crooked-stem aster
Asteraceae	<i>Symphyotrichum</i>	<i>puniceum</i>	purplestem aster
Asteraceae	<i>Taraxacum</i>	<i>officinale</i>	common dandelion
Asteraceae	<i>Tussilago</i>	<i>farfara</i>	colt's foot
Balsaminaceae	<i>Impatiens</i>	<i>capensis</i>	spotted jewelweed
Berberidaceae	<i>Berberis</i>	<i>thunbergii</i>	Japanese barberry
Betulaceae	<i>Betula</i>	<i>alleghaniensis</i>	yellow birch
Betulaceae	<i>Carpinus</i>	<i>caroliniana</i>	American hornbeam
Betulaceae	<i>Corylus</i>	<i>americana</i>	American hazelnut
Betulaceae	<i>Corylus</i>	<i>cornuta</i>	beaked hazelnut
Betulaceae	<i>Ostrya</i>	<i>virginiana</i>	eastern hophornbeam
Boraginaceae	<i>Myosotis</i>	<i>scorpioides</i>	true forget-me-not
Brassicaceae	<i>Alliaria</i>	<i>petiolata</i>	garlic mustard
Brassicaceae	<i>Brassica</i>	<i>rapa</i>	field mustard
Brassicaceae	<i>Capsella</i>	<i>bursa-pastoris</i>	shepherd's purse
Brassicaceae	<i>Cardamine</i>	<i>concatenata</i>	cut-leaved toothwort
Brassicaceae	<i>Hesperis</i>	<i>matronalis</i>	dame's-rocket
Campanulaceae	<i>Lobelia</i>	<i>inflata</i>	Indian-tobacco
Caprifoliaceae	<i>Lonicera</i>	<i>morrowii</i>	Morrow honeysuckle
Caryophyllaceae	<i>Cerastium</i>	<i>fontanum</i>	mouse-ear chickweed
Caryophyllaceae	<i>Lychnis</i>	<i>flos-cuculi</i>	ragged-robin
Caryophyllaceae	<i>Stellaria</i>	<i>graminea</i>	lesser stitchwort
Cornaceae	<i>Cornus</i>	<i>racemosa</i>	gray dogwood
Cornaceae	<i>Cornus</i>	<i>amomum</i>	silky dogwood
Cornaceae	<i>Cornus</i>	<i>sericea</i>	red osier dogwood
Cupressaceae	<i>Thuja</i>	<i>occidentalis</i>	northern white cedar
Cyperaceae	<i>Carex</i>	<i>comosa</i>	bristly sedge
Cyperaceae	<i>Carex</i>	<i>crinita</i>	fringed sedge
Cyperaceae	<i>Carex</i>	<i>intumescens</i>	bladder sedge
Cyperaceae	<i>Carex</i>	<i>plantaginea</i>	plantain-leaved sedge
Cyperaceae	<i>Carex</i>	<i>stipata</i>	owlfruit sedge
Cyperaceae	<i>Carex</i>	<i>stricta</i>	tussock sedge
Cyperaceae	<i>Scirpus</i>	<i>cyperinus</i>	woolgrass
Cyperaceae	<i>Scirpus</i>	<i>atrovirens</i>	green bulrush
Dennstaedtiaceae	<i>Dennstaedtia</i>	<i>punctilobula</i>	eastern hay-scented fern

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Dennstaedtiaceae	<i>Pteridium</i>	<i>aquilinum</i>	bracken fern
Dipsacaceae	<i>Dipsacus</i>	<i>fullonum</i>	common teasel
Dryopteridaceae	<i>Dryopteris</i>	<i>intermedia</i>	evergreen woodfern
Dryopteridaceae	<i>Dryopteris</i>	<i>marginalis</i>	marginal wood fern
Dryopteridaceae	<i>Polystichum</i>	<i>acrostichoides</i>	Christmas fern
Equisetaceae	<i>Equisetum</i>	<i>arvense</i>	field horsetail
Equisetaceae	<i>Equisetum</i>	<i>hyemale</i>	scouring rush
Ericaceae	<i>Monotropa</i>	<i>uniflora</i>	indian-pipe
Fabaceae	<i>Lotus</i>	<i>corniculatus</i>	bird's foot trefoil
Fabaceae	<i>Medicago</i>	<i>lupulina</i>	black medick
Fabaceae	<i>Melilotus</i>	<i>albus</i>	white sweet clover
Fabaceae	<i>Robinia</i>	<i>pseudoacacia</i>	black locust
Fabaceae	<i>Trifolium</i>	<i>hybridum</i>	alsike clover
Fabaceae	<i>Trifolium</i>	<i>pratense</i>	red clover
Fabaceae	<i>Trifolium</i>	<i>repens</i>	white clover
Fabaceae	<i>Vicia</i>	<i>caroliniana</i>	Carolina wood vetch
Fabaceae	<i>Vicia</i>	<i>cracca</i>	cow vetch
Fagaceae	<i>Fagus</i>	<i>grandifolia</i>	American beech
Fagaceae	<i>Quercus</i>	<i>rubra</i>	red oak
Grossulariaceae	<i>Ribes</i>	<i>triste</i>	swamp red currant
Hamamelidaceae	<i>Hamamelis</i>	<i>virginiana</i>	American witch-hazel
Hypericaceae	<i>Hypericum</i>	<i>mutilum</i>	dwarf St. John's-wort
Juglandaceae	<i>Carya</i>	<i>cordiformis</i>	bitternut hickory
Juncaceae	<i>Juncus</i>	<i>effusus</i>	soft rush
Juncaceae	<i>Juncus</i>	<i>tenuis</i>	path rush
Lamiaceae	<i>Clinopodium</i>	<i>vulgare</i>	field basil
Lamiaceae	<i>Collinsonia</i>	<i>canadensis</i>	Canada horse-balm
Lamiaceae	<i>Glechoma</i>	<i>hederacea</i>	ground ivy
Lamiaceae	<i>Lycopus</i>	<i>uniflorus</i>	northern bugleweed
Lamiaceae	<i>Mentha</i>	<i>arvensis</i>	wild mint
Lamiaceae	<i>Prunella</i>	<i>vulgaris</i>	self-heal
Lamiaceae	<i>Scutellaria</i>	<i>lateriflora</i>	mad-dog skullcap
Lauraceae	<i>Lindera</i>	<i>benzoin</i>	spicebush
Liliaceae	<i>Erythronium</i>	<i>americanum</i>	yellow trout-lily
Lycopodiaceae	<i>Diphasiastrum</i>	<i>digitatum</i>	fan clubmoss
Lycopodiaceae	<i>Spinulum</i>	<i>annotinum</i>	stiff clubmoss
Lythraceae	<i>Lythrum</i>	<i>salicaria</i>	purple loosestrife
Magnoliaceae	<i>Liriodendron</i>	<i>tulipifera</i>	tulip tree
Magnoliaceae	<i>Magnolia</i>	<i>acuminata</i>	cucumber tree
Melanthiaceae	<i>Veratrum</i>	<i>viride</i>	American false-hellebore

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Oleaceae	<i>Fraxinus</i>	<i>pennsylvanica</i>	green ash
Oleaceae	<i>Fraxinus</i>	<i>americana</i>	white ash
Onagraceae	<i>Epilobium</i>	<i>ciliatum</i>	hairy willow-herb
Onagraceae	<i>Epilobium</i>	<i>hirsutum</i>	codlins and cream
Onagraceae	<i>Oenothera</i>	<i>biennis</i>	evening primrose
Onocleaceae	<i>Onoclea</i>	<i>sensibilis</i>	sensitive fern
Orchidaceae	<i>Epipactis</i>	<i>helleborine</i>	eastern helleborine
Orchidaceae	<i>Spiranthes</i>	<i>sp.</i>	ladies'-tresses
Orobanchaceae	<i>Epifagus</i>	<i>virginiana</i>	beechdrops
Osmundaceae	<i>Osmunda</i>	<i>cinnamomea</i>	cinnamon fern
Osmundaceae	<i>Osmunda</i>	<i>claytoniana</i>	interrupted fern
Osmundaceae	<i>Osmunda</i>	<i>regalis</i>	royal fern
Oxalidaceae	<i>Oxalis</i>	<i>montana</i>	white wood sorrel
Oxalidaceae	<i>Oxalis</i>	<i>stricta</i>	upright yellow wood sorrel
Phrymaceae	<i>Mimulus</i>	<i>ringens</i>	monkey flower
Phytolaccaceae	<i>Phytolacca</i>	<i>americana</i>	common pokeweed
Pinaceae	<i>Abies</i>	<i>balsamea</i>	balsam fir
Pinaceae	<i>Picea</i>	<i>abies</i>	Norway spruce
Pinaceae	<i>Pinus</i>	<i>sylvestris</i>	Scotch pine
Pinaceae	<i>Pinus</i>	<i>resinosa</i>	red pine
Pinaceae	<i>Pinus</i>	<i>strobus</i>	eastern white pine
Pinaceae	<i>Tsuga</i>	<i>canadensis</i>	eastern hemlock
Plantaginaceae	<i>Chelone</i>	<i>glabra</i>	white turtlehead
Plantaginaceae	<i>Linaria</i>	<i>vulgaris</i>	butter-and-eggs
Plantaginaceae	<i>Plantago</i>	<i>lanceolata</i>	narrow-leaved plantain
Plantaginaceae	<i>Plantago</i>	<i>major</i>	nipple-seeded plantain
Plantaginaceae	<i>Veronica</i>	<i>americana</i>	American speedwell
Plantaginaceae	<i>Veronica</i>	<i>officinalis</i>	common speedwell
Platanaceae	<i>Platanus</i>	<i>occidentalis</i>	sycamore
Poaceae	<i>Cinna</i>	<i>arundinacea</i>	sweet woodreed
Poaceae	<i>Dactylis</i>	<i>glomerata</i>	orchard grass
Poaceae	<i>Danthonia</i>	<i>compressa</i>	flattened oatgrass
Poaceae	<i>Echinochloa</i>	<i>sp.</i>	barnyard grass
Poaceae	<i>Festuca</i>	<i>rubra</i>	red fescue
Poaceae	<i>Glyceria</i>	<i>melicaria</i>	slender manna grass
Poaceae	<i>Leersia</i>	<i>oryzoides</i>	rice cutgrass
Poaceae	<i>Phalaris</i>	<i>arundinacea</i>	reed canary grass
Poaceae	<i>Phleum</i>	<i>pratense</i>	timothy
Poaceae	<i>Phragmites</i>	<i>australis</i>	common reed
Poaceae	<i>Poa</i>	<i>pratensis</i>	Kentucky bluegrass

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Poaceae	<i>Schizachyrium</i>	<i>scoparium</i>	little bluestem
Poaceae	<i>Setaria</i>	<i>viridis</i>	green bristle grass
Polygalaceae	<i>Polygala</i>	<i>sanguinea</i>	field milkwort
Polygonaceae	<i>Persicaria</i>	<i>hydropiper</i>	water pepper
Polygonaceae	<i>Persicaria</i>	<i>maculosa</i>	spotted lady's-thumb
Polygonaceae	<i>Persicaria</i>	<i>pennsylvanica</i>	Pennsylvania smartweed
Polygonaceae	<i>Persicaria</i>	<i>sagittata</i>	arrow-leaf tearthumb
Polygonaceae	<i>Reynoutria</i>	<i>japonica</i>	Japanese knotweed
Polygonaceae	<i>Rumex</i>	<i>obtusifolius</i>	bitter dock
Primulaceae	<i>Lysimachia</i>	<i>nummularia</i>	creeping Jennie
Pteridaceae	<i>Adiantum</i>	<i>pedatum</i>	northern maidenhair-fern
Ranunculaceae	<i>Actaea</i>	<i>rubra</i>	red baneberry
Ranunculaceae	<i>Anemone</i>	<i>virginiana</i>	tall thimbleweed
Ranunculaceae	<i>Caltha</i>	<i>palustris</i>	marsh marigold
Ranunculaceae	<i>Clematis</i>	<i>virginiana</i>	virgin's bower
Ranunculaceae	<i>Coptis</i>	<i>trifolia</i>	goldthread
Ranunculaceae	<i>Ranunculus</i>	<i>acris</i>	tall buttercup
Ranunculaceae	<i>Ranunculus</i>	<i>repens</i>	creeping buttercup
Rhamnaceae	<i>Rhamnus</i>	<i>cathartica</i>	buckthorn
Rosaceae	<i>Agrimonia</i>	<i>gryposepala</i>	tall agrimony
Rosaceae	<i>Crataegus</i>	<i>sp.</i>	hawthorn
Rosaceae	<i>Fragaria</i>	<i>vesca</i>	woodland strawberry
Rosaceae	<i>Fragaria</i>	<i>virginiana</i>	wild strawberry
Rosaceae	<i>Geum</i>	<i>allepicum</i>	yellow avens
Rosaceae	<i>Malus</i>	<i>pumila</i>	apple
Rosaceae	<i>Potentilla</i>	<i>norvegica</i>	Norwegian cinquefoil
Rosaceae	<i>Potentilla</i>	<i>simplex</i>	old field cinquefoil
Rosaceae	<i>Prunus</i>	<i>serotina</i>	wild black cherry
Rosaceae	<i>Rosa</i>	<i>multiflora</i>	multiflora rose
Rosaceae	<i>Rubus</i>	<i>alleghehiensis</i>	Allegheny blackberry
Rosaceae	<i>Rubus</i>	<i>hispidus</i>	bristly dewberry
Rosaceae	<i>Rubus</i>	<i>idaeus</i>	red raspberry
Rosaceae	<i>Rubus</i>	<i>pubescens</i>	dwarf red blackberry
Rubiaceae	<i>Galium</i>	<i>mollugo</i>	wild madder
Rubiaceae	<i>Galium</i>	<i>triflorum</i>	fragrant bedstraw
Rubiaceae	<i>Mitchella</i>	<i>repens</i>	partridgeberry
Ruscaceae	<i>Maianthemum</i>	<i>canadense</i>	Canada mayflower
Ruscaceae	<i>Maianthemum</i>	<i>racemosum</i>	false Solomon's-seal
Salicaceae	<i>Populus</i>	<i>deltoides</i>	eastern cottonwood
Salicaceae	<i>Populus</i>	<i>tremuloides</i>	quaking aspen

## PLANT SPECIES INVENTORY

Observed On-Site During EDR Surveys, 2015

<u>Family</u>	<u>Genus</u>	<u>species</u>	<u>common name</u>
Salicaceae	<i>Salix</i>	<i>nigra</i>	black willow
Saxifragaceae	<i>Saxifraga</i>	<i>pensylvanica</i>	swamp saxifrage
Saxifragaceae	<i>Tiarella</i>	<i>cordifolia</i>	heart-leaved foam flower
Scrophulariaceae	<i>Verbascum</i>	<i>thapsus</i>	common mullein
Solanaceae	<i>Solanum</i>	<i>carolinense</i>	Carolina horsenettle
Solanaceae	<i>Solanum</i>	<i>dulcamara</i>	deadly nightshade
Thelypteridaceae	<i>Thelypteris</i>	<i>noveboracensis</i>	New York fern
Tiliaceae	<i>Tilia</i>	<i>americana</i>	American basswood
Typhaceae	<i>Typha</i>	<i>angustifolia</i>	narrowleaf cattail
Typhaceae	<i>Typha</i>	<i>latifolia</i>	broadleaf cattail
Ulmaceae	<i>Ulmus</i>	<i>americana</i>	American elm
Verbenaceae	<i>Verbena</i>	<i>hastata</i>	blue vervain
Vitaceae	<i>Vitis</i>	<i>riparia</i>	riverbank grape
Woodsiaceae	<i>Athyrium</i>	<i>filix-femina</i>	lady fern