

POTENTIAL ROADWAY IMPROVEMENT AND INTERSECTION IMPROVEMENT LOCATIONS

- POTENTIAL ROADWAY IMPROVEMENT AREAS
- - - POTENTIAL ROADWAY IMPROVEMENT AREAS ON WEIGHT POSTED ROAD
- · - · - POTENTIAL ROADWAY IMPROVEMENT AREAS ON SEASONAL WEIGHT POSTED ROAD
- INTERSECTION RADIUS IMPROVEMENT WITH LOCATION NUMBER

NOTE: SEE MAPS OF INTERSECTION TURNING MOVEMENTS FOR 150' RADII IMPACTS AT EACH INTERSECTION WITH LOCATION NUMBER

Source: C&S Companies
everpower™


Cassadaga Wind Project
 Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

April 2016





LOCATION 1 – STATE ROUTE 60 AT CR 72 BARD RD



LOCATION 2 – CR 72 BARD RD AT HALL RD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 3 – CR 72 BARD RD AT CR 77 ROOD RD



LOCATION 4 – CR 72 CASSADAGA RD AT SOUTH HILL RD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York


Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 5 – STATE ROUTE 60 AT ROBERTS ROAD



LOCATION 6 – ROBERTS ROAD AT CR 75 NELSON ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™


Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 7 – CR 75 NELSON ROAD AT ANDREWS ROAD



LOCATION 8 – HALL ROAD AT CASSADAGA ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project


Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016





LOCATION 9 – NORTH HILL ROAD AT CASSADAGA ROAD



LOCATION 10 – CR 77 ROAD ROAD AT COOK ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016

Sheet 6 of 10





LOCATION 11 – COOK ROAD AT LEWIS ROAD



LOCATION 12 – MILL CREEK ROAD AT LEWIS ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 13 – PLANK ROAD AT WEAVER ROAD



LOCATION 14 – CR 85 FARRINGTON HOLLOW ROAD
AT PLANK ROAD

NOTE:
APPROXIMATE LOCATIONS ARE SHOWN
FOR TRUCK TURNING MOVEMENTS.
DEVELOPER NEEDS TO APPLY THE STANDARD
TRUCK TURNING RADII IN ORDER TO VERIFY
INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY
 150' INSIDE RADIUS, 40.8' WIDTH
TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 15 – CR 85 FARRINGTON HOLLOW ROAD AT BOUTWELL HILL ROAD



LOCATION 16 – BOUTWELL HILL ROAD AT CLELAND ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016



LOCATION 17 – CR 66 THORNTON ROAD AT CLELAND ROAD

NOTE:
 APPROXIMATE LOCATIONS ARE SHOWN
 FOR TRUCK TURNING MOVEMENTS.
 DEVELOPER NEEDS TO APPLY THE STANDARD
 TRUCK TURNING RADII IN ORDER TO VERIFY
 INTERSECTION IMPROVEMENTS REQUIRED.

TURNING MOVEMENT KEY

 150' INSIDE RADIUS, 40.8' WIDTH
 TO ALLOW FOR TURNING MOVEMENT



Source: C&S Companies
everpower™

Cassadaga Wind Project

Towns of Arkwright, Charlotte, Cherry Creek,
 and Stockton - Chautauqua County, New York

Article 10 Application

Figure 25-6: Potential Roadway and Intersection Improvements

March 2016

